GENITOURINARY MEDICINE

Editor: A Mindel (Sydney)

President MSSVD: J S Bingham (London)

Hon Sec MSSVD: T McManus (London)

M W Adler (London) R Ashley (Seattle) D A Cooper (Sydney) L Corey (Seattle) Cossart (Sydney) B Donovan (Sydney) I Douglas (Denver) L M Drusin (New York) J S Greenspan (San Francisco) D Mercey (London) G Gross (Hamburg) G R Kinghorn (Sheffield) K Holmes (Seattle) M Laga (Antwerp) A S Latif (Harare)
D Mabey (London) A Meheus (Antwerp)

Assistant Editor, Abstracts: C Sonnex (Cambridge)

Assistant Editor: C A Carne (Cambridge)

A R Moss (San Francisco) G Neilsen (Svdnev) J Perriens (Geneva) R S Pattman (Newcastle-upon-Tyne) A J Pinching (London)

A Pozniak (London)

G Ridgway (London) JAR van den Hoek (Amsterdam) Weber (London) Editor British Medical Journal Technical Editor: Kenneth Till Fax (UK) 01984 667315 Telephone (UK) 01984 667388

This Journal, founded by the Medical Society for the Study of the Venereal Diseases, publishes original work on the investigation and treatment of genitourinary and allied disorders, and review articles, correspondence, abstracts.

ADVICE TO AUTHORS Papers for publication, which will be accepted on the understanding that they have not been and will not be published elsewhere and are subject to editorial revision, should be sent in triplicate to Kathryn Sims, Editorial Office, Genitourinary Medicine, BMJ, BMA House, Tavistock Square, London WC1H 9JR, UK. Telephone: 0171 383 4499. All authors must give signed consent to publication. Submitted papers must be accompanied by the following statement, signed by all the authors: "No paper resembling the enclosed article has been or will be published except in Genitourinary Medicine. We transfer all copyright ownership to *Genitourinary Medicine*." If requested, authors shall produce the data upon which the manuscript is based for examination by the editor. Manuscripts will only be acknowledged if a stamped addressed postcard or international reply coupon is enclosed. Rejected papers will not be returned. Figures will be returned if requested at the time of submission.

Full details of requirements for manuscripts in the Vancouver style (BMJ 1982;284:1766-70) are given in Uniform requirements for manuscripts submitted to biomedical journals, available from the Publishing Manager, British Medical Journal, BMJ Publishing Group, BMA House (50p post free). Brief details are as follows:

- (1) SCRIPTS (including correspondence and book reviews) must be typewritten on one side of the paper in double spacing with ample margins. Two copies should be sent.
- (2) EACH SCRIPT should include, in the following order: a brief summary (structured summaries are preferred), typed on a separate sheet, outlining the main observations and conclusions followed by up to three key words suitable for use in indexing; the text divided into appropriate sections; acknowledgements; references; tables, each on a separate sheet; and legends for illustrations.
- (3) THE TITLE of the paper should be as brief as possible.
- (4) THE NUMBER OF AUTHORS should be kept to the minimum, and only their initials and family names used.
- (5) ONLY THE INSTITUTION(S) where work was done by each author should be stated.
- (6) SI UNITS must be used. If old fashioned units are used, SI units should be given in parentheses or, for tables and figures, a conversion factor given as a footnote.
- (7) ONLY RECOGNISED ABBREVIATIONS should be used
- (8) ACKNOWLEDGEMENTS should be limited to workers whose courtesy or help extended beyond their paid work. and supporting organisations.
- (9) FIGURES should be numbered in the order in which they are first mentioned in the text. Captions should be typed on a separate sheet. DIAGRAMS: use thick, white paper and insert lettering lightly in pencil. PHOTOGRAPHS: should be marked lightly on the back with the author's name and indicating the top, and should not be attached by paper clips or pins. They should be trimmed to include only the relevant section (and will be reproduced 68 or 145 mm wide) to eliminate the need for reduction. Photomicrographs must have internal scale markers. Radiographs should be submitted as photographic prints, carefully prepared so that they bring out the exact point to be illustrated.

(10) TABLES should be numbered, have titles, and be

typed on separate sheets. Please avoid large tables and use the format which appears in current issues

(11) REFERENCES should be numbered consecutively the first time they are cited and identified by arabic numbers in the text, tables, and legends to figures. Authors must take full responsibility for the accuracy of their references, and the list should be kept as short as practicable. It should be in the order in which references are first mentioned, and should include (in the following order), journals: author's name and initials, title of paper, name of journal (in full or abbreviated according to the list in Index Medicus), year of publication, volume number, and first and last page numbers; books: author's name and initials, full title, edition, place of publication, publisher, and year of publication. When a chapter in a book is referred to, the name and initials of the author of the chapter, title of the chapter, "In:", name and initials of the editor, and "ed" should precede book title, etc as above. In references to journals or books, when there are seven or more authors the names of the first three should be given followed by "et al." Names of journals no longer published or not in Indian Names of journals no longer published or not in Index Medicus should be given in full-for example, British Journal of Venereal Diseases.

Contributors receive one proof, and should read it carefully for printers' errors and check the tables, figures, legends, and any numerical, mathematical, or other scientific expressions. Alterations should be kept to a minimum. REPRINTS A limited number of reprints may be ordered at cost from the Publishing Manager when the proofs are returned.

NOTICE TO SUBSCRIBERS This Journal is published bimonthly. The annual subscription rates are £143.00 and \$225 in the USA. Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their orders the credit or charge card preferred, the appropriate personal account number, and the expiry date of the card. Orders should be sent to the Subscriptions Manager, Genitourinary Medicine, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Orders can also be placed locally through any leading subscription agent or bookseller. (For the convenience of readers in the USA, subscription orders, with or without payment, can be sent to: British Medical Journal, PO Box 408, Franklin, MA 02038, USA. All inquiries, however, including those regarding air mail rates and single copies already pub-lished, should be addressed to the publisher in London.) Second class postage paid, Rahway NJ Postmaster. Send address changes to: Genitourinary Medicine c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue,

NOTICE TO ADVERTISERS Applications for advertisement space and for rates should be addressed to the Advertisement Manager, Genitourinary Medicine, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR.

COPYRIGHT © 1995 by Genitourinary Medicine. This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any relaxations permitted under national copyright laws, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is not, however, required to copy abstracts of papers or of articles on condition that a full reference to the source is shown. Multiple copying of the contents of the publication without permission is always illegal.

ISSN 0266-4348

Avenel, NI 07001, USA.

Published by BMI Publishing Group, and printed by The Thanet Press Ltd. Margate

418 Matters arising

link into the narrower concept of colposcopy practised specifically in response to cervical dyskaryosis detected by the Cervical Cytology Screening Programme.

The application of colposcopy within genitourinary medicine should be complementary to, and certainly not in competition with colposcopy as practised widely and effectively in gynaecology throughout the UK.

It was helpful that we may both conclude with complete agreement "carefully prepared prospective research" is required, and for this reason it was not appropriate to consider primary colposcopy within the context of the NCN Report.³

T R MOSS Doncaster Royal Infirmary, Armthorpe Rd, Doncaster DN2 5LT, UK

- 1 Griffiths M. The value of colposcopy in genito urinary medicine. Genitourin Med 1995;71:
- 2 Moss TR, Hawkswell J, Fogarty B, Dadswell C. The value of primary colposcopy in genito urinary medicine—a six year review. Genitourin Med 1994;70:191-5.
- 3 The role of genitourinary medicine cytology and colposcopy in cervical screening: Does the GU female population merit a different cytology/colposcopy strategy? NHS Cervical Screening Programme. National Coordinating Network, Oxford 1994. Moss TR, Hicks DA, eds.

of papillomavirus infection cover the much written about association of papillomavirus with cervical cancer and precancer in addition to the association with other anogenital tract tumours including penile and anal cancer, treatments modalities and a particularly useful overview on HPV infection in children.

Immunology of HPV infection is covered in a single chapter written by Margaret Stanley et al. The clarity of this particular chapter on a rapidly evolving subject is excellent and gives one a good introduction to this complex area. It is as up to date as it is possible to get and it was particularly pleasing to see as yet unpublished work described.

My only criticism of the book was the order in which the chapters appeared. The last two chapters would have been more appropriately sited before the chapters on the clinical aspects rather than following them. I believe that it will be a long time before any other book on this subject will be published which will be as comprehensive but at the same time be as reader friendly. I would recommend this as an essential book in any genitourinary medicine clinic library, and it will serve as an invaluable reference source for those involved in HPV research.

DAVID ROWEN

BOOK REVIEWS

Genital Warts. Human Papillomavirus Infection. Edited by ADRIAN MINDEL. London. Edward Arnold. (Pp 292; £48.) ISBN 0-340-57924-2

This multi-author monograph will be of immense interest not only to clinicians dealing with HPV infection and its sequelae, but also to molecular biologists working in the field of HPV research who wish to get an insight into the clinical aspects of this infection. It's written in a succinct but eminently readable style and covers the common clinical manifestations, in addition to the virology, epidemiology, laboratory diagnosis, immunology, and prospects for vaccines.

The first chapter, Virology, assumes little and gives a very good overview of the subject. After reading this chapter the "papillomatalk" which inevitably confounds the newcomer to this field starts to make sense. Tables, line diagrams, and electron micrographs are all of the highest quality and used to good effect. The table listing HPV types characterised to date shows the rate of progress in this area; 60 are described in the text; approximately 80 types are now characterised.

Cathy Critchlow and Laura Koutsky's chapter on epidemiology is a masterly overview of a complex subject. The section on issues in interpreting prevalence studies was particularly well presented and highlights many of the reasons for the marked variations in reported prevalence rates.

The seven chapters on the clinical aspects

SEXplained . . . The Uncensored Guide to Sexual Health. By HELEN KNOX. London. Knox Publishing. 1995. (Pp 81; £9.99.) ISBN 0-952-6224-0-8

Genitourinary medicine or sexual health specialists may be interested in this book for a number of reasons. Some clinics may provide health educational books in waiting rooms as an alternative to jaded Sunday supplements. Written information is useful in supporting advice given by clinicians and of course any number of people with sexual health problems never use specialist services. Good self-help guides ought to direct patients to appropriate services.

The "uncensored" label is redolent of those gravel-voiced film previews at the cinema. And it is the author's stated intention to provide a hard-hitting, no-nonsense consumer guide. Whether or not this is the best approach is down in part to personal preference, but also to one's belief in the value of shock tactics as an approach to health promotion: do smokers change their behaviour after seeing diseased lungs in formalin? What is the effect of including fullcolour photographs of diseased genitals in this book? Helen Knox quite clearly believes in giving the full picture. This presumably explains the cost which is much higher than for comparable publications but within the reach of institutions. Having opted for 12 colour plates, 5 are devoted to syphilis and another to herpetic breasts. Other commoner but perhaps less dramatic conditions are therefore neglected.

The book is easy to read with diagrams, cartoons, black and white photographs and a punchy question and answer style which ought to be accessible to the general public and a younger audience in particular. Some may want to give a more positive angle. It is worth stating for example that people can enjoy sex after an attack of herpes, that cervical cancer is slow to develop and therefore preventable, and that in Britain most people infected by hepatitis B do not develop cirrhosis and life-threatening liver disease.

Some clinicians would want to question the assertions that hepatitis C is more infectious than HIV or that NSU can cause difficulties in maintaining an erection. It is curious to find that lice and scabies cover more pages than HIV. There are additional disadvantages to being tested for HIV antibody, not given in the text, particularly social and psychological factors. I found the hepatitis chapter confusing as it did not always specify HBV, HCV, etc. The safe sex advice which aims to prevent all transmission of genital infections will be too prohibitive for some.

No book will suit all readers. 'SEXplained' will be just right for some and is sufficiently different to merit its place on the bookshelf. It is crammed with information, from condom-weakening lubricants to emergency contraception, and most common genital and sexually transmitted infections are discussed. It advocates safer sex, using GUM clinics and partner notification for STDs. In fact, even better than tucking it away on a bookshelf, consider leaving it out in waiting rooms and ask the patients what they think of it. Anything which opens up discussion between client and clinician is helpful.

MARTIN JONES

NOTICES

British Society for the Study of Vulval Disease

The next meeting will be at the Robbins Centre, University of Plymouth, 11–14 July 1996. Enquiries should be addressed to Dr GD Morrison, Dept of Genitourinary Medicine, Freedom Fields Hospital, Plymouth PL7 4JJ, UK.

13th World Congress of Sexology: Sexuality and Human Rights

Venue: Palacio de la Música y Congresos. Valencia, Spain. 25–29 June 1997.

Information and Registration: Technical Secretary: Europa-Travel, S.A. Hernán Cortés, 28 46004 Valencia-Spain. Tel: 34-6-352 45 47. Fax: 34-6-352 54 97.

CURRENT PUBLICATIONS

Selected titles from recent reports published worldwide are arranged in the following sections:

Gonorrhoea
Chlamydia
Candidiasis
Trichomoniasis
Pelvic inflammatory disease
Syphilis and other treponematoses
Hepatitis
Herpes
Human papillomavirus infection
Cervical cytology and colposcopy
Other sexually transmitted diseases
Public health and social aspects
Microbiology and Immunology
Dermatology
Miscellaneous

Gonorrhoea

In-vitro activity of a new quinolone (CP-99,219) compared with ciprofloxacin, pefloxacin, azithromycin and penicillin against *Neisseria gonorrhoeae*

JH VANRIJSOORTVOS, E STOLZ, HA VERBRUGH, JAJW KLUYTMANS. J Antimicrob Chemother 1995;36:215.

Adherence of Pilus(-) Opa(+) gonococci to epithelial cells in vitro involves heparin sulphate

T CHEN, RJ BELLAND, J WILSON, J SWANSON. \mathcal{J} Exp Med 1995;182:511.

Characterization of IbpA, the structural gene for a lactoferrin receptor in Neisseria gonorrhoeae

GD BISWAS, PF SPARLING. Infect Immun 1995; 63:2958.

Role of pili and the phase-variable PilC protein in natural competence for transformation of *Neisseria gonorrhoeae*

T RUDEL, D FACIUS, R BARTEN, I SCHEUERPFLUG, E NONNENMACHER, TF MEYER. *Proc Nat Acad Sci USA* 1995;**92**:7986.

Utility of ribotyping, restriction endonuclease analysis and pulsed-field gel electrophoresis to discriminate between isolates of *Neisseria gonorrhoeae* of serovar IA-2 which require arginine, hypoxanthine or uracil for growth

H LI, JAR DILLON. J Med Microbiol 1995;43:208.

Chlamydia

Serologic evidence of *Chlamydia tra*chomatis infection and risk of preterm birth

P CLAMAN, B TOYE, RW PEELING, P JESSAMINE, J BELCHER. Can Med Assoc J 1995;153:259.

Chlamydia trachomatis seropositivity during pregnancy is associated with perinatal complications

M GENCAY, M KOSKINIEMI, P SAIKKU, M PUO-LAKKAINEN, K RAIVIO, P KOSKELA, A VAHERI. Clin Infect Dis 1995;21:424. Value of screening for oro-pharyngeal Chlamydia trachomatis infection

SPR JEBAKUMAR, C STOREY, M LUSHER, J NELSON, B GOORNEY, KR HAYE. *J Clin Pathol* 1995; **48**:658.

Screening for Chlamydia trachomatis infection in pregnant women in Martinique

RT CHOUT, S VATON, D DUVALVIOLTON, P LEGUYADERDESPRES, J ORFILA. Sex Transm Dis 1995;22:221.

Genital Chlamydia trachomatis infections in Uppsala county, Sweden, 1985–1993: Declining rates for how much longer? B HERRMANN, M EGGER. Sex Transm Dis 1995;

22:253.

Screening urine samples by leukocyte esterase test and ligase chain reaction for chlamydial infections among asymptomatic men

G ANESTAD, BP BERDAL, O SCHEEL, et al. J Clin Microbiol 1995;33:2483.

Detection of *Chlamydia trachomatis* infection in urine samples from men and women by ligase chain reaction

GJJ VANDOORNUM, M BUIMER, M PRINS, et al. J Clin Microbiol 1995;33:2042.

Comparison of enzyme immunoassay antigen detection, nucleic acid hybridization and PCR assay in the diagnosis of Chlamydia trachomatis infection

A MIETINEN, P VUORINEN, T VARIS, O HALL-STROM. Eur J Clin Microbiol Infect Dis 1995; 14:546.

Manifestations of chlamydia induced arthritis in patients with silent versus symptomatic urogenital chlamydial infection

J WOLLENHAUPT, F KOLBUS, H WEISSBRODT, C SCHNEIDER, T KRECH, H ZEIDLER. *Clin Exp Rheumatol* 1995;13:453.

Amplification of plasmid and chromosome chlamydia DNA in synovial fluid of patients with reactive arthritis and undifferentiated seronegative oligoarthropathies

S BAS, R GRIFFAIS, TK KVIEN, A GLENNAS, K MELBY, TL VISCHER. Arthritis Rheum 1995; 38:1005.

Detection by multiplex polymerase chain reaction and typing of *Chlamydia tra*chomatis isolates

M VALASSINA, MG CUSI, D CORSARO, C BUFFI, G PIAZZESI, PE VALENSIN. Fems Microbiol Lett 1995;130:205.

CD4(+) T cells play a significant role in adoptive immunity to *Chlamydia trachomatis* infection of the mouse genital tract

H SU, HD CALDWELL. Infect Immun 1995;63: 3302.

Murine cytotoxic T lymphocytes induced following Chlamydia trachomatis intraperitoneal or genital tract infection respond to cells infected with multiple serovars

MN STARNBACH, MJ BEVAN, MF LAMPE. Infect Immun 1995;63:3527.

Sulfated polyanions block *Chlamydia trachomatis* infection of cervix derived human epithelia

FR ZARETSKY, R PEARCEPRATT, DM PHILLIPS. Infect Immun 1995;63:3520.

The inflammatory cytokine response to Chlamydia trachomatis is endotoxin mediated

RR INGALIS, PA RICE, N QURESHI, K TAKAYAMA, JS LIN, DT GOLENBOCK. *Infect Immun* 1995; 63:3125.

Characterization of late gene promoters of Chlamydia trachomatis

MJ FAHR, AL DOUGLAS, W XIA, TP HATCH. J Bacteriol 1995;177:4252.

Candidiasis

The epidemiology of vulvovaginal candidiasis among university students

AM GEIGER, B FOXMAN, BW GILLESPIE. Am J Public Health 1995;85:1146.

Comparative study of fluconazole and clotrimazole for the treatment of vulvo-vaginal candidiasis

P OPRASERTSAWAT, A BOURLERT. Sex Transm Dis 1995:22:228.

Phenotypic and genotypic characterization of unusual vaginal isolates of *Candida* albicans from Africa

HJ TIETZ, A KUSSNER, M THANOS, MP DEANDRADE, W PRESBER, G SCHONIAN. J Clin Microbiol 1995;33:2462.

Saccharomyces cereinsiae vaginitis: transmission from yeast used in baking P NYIRJESY, JA VAZQUEZ, DD UFBERG, JD SOBEL, DA BOIKOV, HR BUCKLEY. Obstet Gynecol 1995; 86:326.

Fluconazole resistance due to energy-dependent drug efflux in Candida glabrata T PARKINSON, DJ FALCONER, CA HITCHCOCK. Antimicrob Agents Chemother 1995;39:1696.

Adherence of *Candida albicans* to epithelial cells: studies using fluorescently labelled yeasts and flow cytometry

I POLACHECK, A ANTMAN, I BARTH, E SAGI, H GILOH. *Microbiology* 1995;**141**:1523.

Trichomoniasis

Pharmacodynamics of metronidazole determined by a time-kill assay for *Trichomonas vaginalis*

DE NIX, R TYRRELL, M MULLER. Antimicrob Agents Chemother 1995;39:1848.

Analysis of human immunoglobulindegrading cysteine proteinases of Trichomonas vaginalis

D PROVENZANO, JF ALDERETE. Infect Immun 1995;63:3388.

Pelvic inflammatory disease

Silent pelvic inflammatory disease: is it overstated?

P WOLNERHANSSEN. Obstet Gynecol 1995;86: 326.

Syphilis and other treponematoses

Lumbar puncture for evaluation of latent syphilis in hospitalized patients—high prevalence of cerebrospinal fluid abnormalities unrelated to syphilis

LA CAREY, MJ GLESBY, LM MUNDY, EM JANIS, EW HOOK. Arch Intern Med 1995;155:1657.

420 Current publications

Control of epidemic early syphilis: the results of an intervention campaign using social networks

MM ENGELGAU, CH WOERNLE, RT ROLFS, JR GREENSPAN, M OCAIN, RD GORSKY. Sex Transm Dis 1995;22:203.

The evolving epidemiology of syphilis PH KILMARX, ME ST LOUIS. Am J Public Health 1905:85:1053

Syphilis and gonorrhoea in Miami: similar clustering, different trends

FF HAMERS, TA PETERMAN, AA ZAIDI, RL RANSOM, JE WROTEN, JJ WITTE. Am J Public Health 1995;85:1104.

Syphilis in the south: rural rates surpass urban rates in North Carolina

JC THOMAS, AL KULIK, VJ SCHOENBACH. Am J Public Health 1995;85:1119.

Hepatitis

A community-wide outbreak of hepatitis A: risk factors for infection among homosexual and bisexual men

KJ HENNING, E BELL, J BRAUN, ND BARKER. Am J Med 1995;99:132.

Herpes simplex virus-2 may increase susceptibility of the sexual transmission of hepatitis C

S SHEV, A WIDELL, T BERGSTROM, S HERMODS-SON, A LINDHOLM, G NORKANS. Sex Transm Dis 1995;22:217.

Herpes

Demonstration of either endogenous recurrence or exogenous reinfection by restriction endonucleases cleavage analysis of herpes simplex virus from patients with recrudescent genital herpes

H SAKAOKA, T AOMORI, T GOURO, Y KUMAMOTO. J Med Virol 1995;46:387.

Decline of herpes simplex virus type 2 and Chlamydia trachomatis infections from 1970 to 1993 indicated by a similar change in antibody pattern

K PERSSON, A MANSSON, E JONSSON, E NORDEN-FELT. Scand J Infect Dis 1995;27:195.

Pathologic studies and comparison of the virulence of herpes simplex virus type 2 from Okinawa, Japan and Chiang Mai, Thailand

K SUNAGAWA, W SIRIRUNGSKI, I NAKAZATO, T HIRAYASU, T IWAMASA. *Int J Exp Pathol* 1995; 76:255.

Herpes simplex virus resistance to acyclovir: clinical relevance

JC POTTAGE, HA KESSLER. Infect Agents Dis 1995;4:115.

Propranolol suppresses reactivation of herpesvirus

BM GEBHARDT, HE KAUFMAN. Antivir Res 1995;27:255.

Topical treatment of recurrent mucocutaneous herpes with ascorbic acid containing solution

T HOVI, A HIRVIMIES, M STENVIK, E VUOLA, R PIPPURI. Antivir Res 1995;27:263.

The ribonucleotide reductase inhibitor (E)-2'-fluoromethylene-2'-deoxycytidine (MDL 101,731): a potential topical therapy for herpes simplex virus infection

CG BRIDGES, SP AHMED, PS SUNKARA, JR MCCARTHY, AS TYMS. Antivir Res 1995;27:325.

Human papillomavirus infection

Human papillomaviruses and the genital tract: old virus, new developments
HDL BIRLEY, CA HART, SN STACEY. J Med Microbiol 1995;43:81.

Transmission of cervical human papillomavirus infection by sexual activity: differences between low and high oncogenic risk types

EL FRANCO, LL VILLA, A RUIZ, RC COSTA. J Infect Dis 1995;172:756.

Spectrum of genital human papillomavirus infection in a female adolescent population

JH JAMISON, DW KAPLAN, R HAMMAN, R EAGAR, R BEACH, JM DOUGLAS. Sex Transm Dis 1995; 22:236.

Analysis of human papillomavirus type 16 variants indicates establishment of persistent infection

JF XI, GW DEMERS, LA KOUTSKY, et al. J Infect Dis 1995;172:747.

Serial quantitation of HPV-16 in the smears of women with mild and moderate dyskaryosis

G FLANNELLY, G JIANG, D ANDERSON, W MELVIN, E MANN, H KITCHENER. J Med Virol 1995;47:6.

Cervical dysplasia in HIV-seropositive women: role of human papillomavirus infection and immune status

GG GARZETTI, A CIAVATTINI, L BUTTINI, A VECCHI, M MONTRONI. *Gynecol Obstet Invest* 1995; **40**:52.

Human papillomavirus type distribution and serologic response to HPV type 6 virus-like particles in patients with genital warts

CE GREER, CM WHEELER, MB LADNER, et al. J Clin Microbiol 1995;33:2058.

Serum IgG, IgM and IgA reactivity to human papillomavirus types 11 and 6 virus like particles in different gynecologic patient groups

K HEIM, ND CHRISTENSEN, R HOEPFL, et al. J Infect Dis 1995;172:395.

Prospective study on the development of antibodies against human papillomavirus type 6 among patients with condyloma acuminata or new asymptomatic infection A WIKSTROM, GIJ VANDOORNUM, R KIRNBAUER, WGV QUINT, J DILLNER. J Med Virology 1995;46:368.

Antiviral therapy for human papillomaviruses: rationale and prospects WC PHELPS. Ann Intern Med 1995;123:368.

The detection of human papillomavirus deoxyribonucleic acid in intraepithelial, in situ, verrucous and invasive carcinoma of the penis

MR CUPP, RS MALEK, JR GOELLNER, TF SMITH, MJ ESPY. \mathcal{J} Urol 1995;154:1024.

Laser versus loop electrosurgical excision in vulvar condylomata for eradication of subclinical reservoir demonstrated by assay for 2'-5' oligosynthetase human papillomavirus

A SCHOENFELD, E ZIV, H LEVAVI, Z SAMRA, J OVADIA. Gynecol Obstet Invest 1995;40:46.

The association of an HPV 16 oncogene variant with HLA-B7 has implications for vaccine design in cervical cancer

JMR ELLIS, PJ KEATING, J BAIRD, et al. Nature Med 1995;1:464.

Polymerase chain reaction—a sensitive indicator of the prevalence of human papillomavirus DNA in a population with sexually transmitted disease

AJ BORG, G MEDLEY, S GARLAND. Acta Cytol 1995;39:654.

Human papillomavirus in cell samples from Stockholm gynecologic health screening

B HAGMAR, M KALANTARI, B SKYLDBERG, B MOBERGER, B JOHANSSON, L WALAAS, B WARLEBY. *Acta Cytol* 1995;39:741.

Isolation of DNA from archival Papanicolaou stained cytological smears using a simple salting-out procedure

M POLIAK, I BARLIC, K SEME, T AVSICZUPANC, A

ZORE. J Clin Pathol 1995;48:M55.

Processing of long-stored archival cervical smears for human papillomavirus detection by the polymerase chain reaction

AMD HUSMAN, PJF SNIJDERS, HV STEL, AJC VANDENBRULE, CJLM MEIJER, JMM WALBOOMERS. Br J Cancer 1995;72:412.

Polymerase chain reaction analysis of human papillomavirus in archival cervical cytologic smears

KL CHUA, A HJERPE. Anal Quant Cytol Histol 1995;17:221.

Human papillomavirus in false negative archival cervical smears: implications for screening for cervical cancer

JMM WALBOOMERS, AMD HUSMAN, PJF SNIJDERS, et al. J Clin Pathol 1995;48:728.

Detection of human papillomavirus DNA in cervical lavage specimens by a non-isotopic consensus PCR assay

F COUTLEE, D PROVENCHER, H VOYER. J Clin Microbiol 1995;33:1973.

Assessment of Ki-67 antigen immunostaining in squamous intraepithelial lesions of the uterine cervix: correlation with histologic grade and human papillomavirus type

W ALSALEH, P DELVENNE, R GREIMERS, V FRID-MAN, J DOYEN, J BONIVER. Am J Clin Pathol 1995;104:154.

The HPV-16 E5 protein: expression, detection and stable complex formation with transmembrane proteins in COS cells

ES HWANG, T NOTTOLI, D DIMAIO. Virology 1995;211:227.

Characterization of human papillomavirus type 16 E2 protein and subdomains expressed in insect cells

CM SANDERS, PL STERN, NJ MAITLAND. Virology 1995;211:418.

Epidermal growth factor induction of human papillomavirus type 16 E6/E7 mRNA in tumour cells involves two AP-1 binding sites in the viral enhancer

M PETO, I TOLLEERSU, HG KREYSCH, G KLOCK. J Gen Virol 1995;76:1945.

Efficient expression of the human papillomavirus type 16 L1 protein in epithelial cells by using Rev and the Rev-responsive element of human immunodeficiency virus on the cis-acting transactivation element of simian retrovirus type 1

W TAN, BK FELBER, AS ZOLOTUKHIN, GN PAVLAKIS, S SCHWARTZ. J Virol 1995;69:5607.

Transcriptional activity of human papillomavirus type 31b enhancer is regulated through synergistic interaction of AP1 with two novel cellular factors

S KYO, A TAM, LA LAIMINS. Virology 1995; 211:184.

Cervical cytology and colposcopy

Improving compliance among women with abnormal Papanicolaou smears ED PASKETT, KC PHILLIPS, ME MILLER. Obstet Gynecol 1995;86:353.

The inflammatory Papanicolaou smear: what does it mean?

LO ECKERT, LA KOUTSKY, NB KIVIAT, KRONE, CE STEVENS, DA ESCHENBACH. Obstet Gynecol 1995;86:360.

Significance of inflammatory cervical smears

PARASHARI, V SINGH, MM GUPTA, et al. APMIS 1995;103:273.

Cytologic observations preceding high grade squamous intraepithelial lesions G TRONCONE, PK GUPTA. Acta Cytol 1995; **39**:659.

Cytologic screening after hysterectomy for benign disease

JT PISCITELLI, LA BASTIAN, A WILKES, DL SIMEL. Am J Obstet Gynecol 1995;173:424.

Discordance between cytologic and histologic reports in cervical intraepithelial neoplasia-results of a one-year audit RASBRIDGE, M NAYAGAM. Acta Cytol 1995;39:648.

Cervical smears prepared by an automated device versus the conventional method—a comparative analysis

SL APONTECIPRIANI, C TEPLITZ, E RORAT, A SAVINO, AJ JACOBS. Acta Cytol 1995;39:623.

Comparison of ThinPrep preparation with conventional cervicovaginal smears practical considerations

M BUR, K KNOWLES, P PEKOW, O CORRAL, J DONOVAN. *Acta Cytol* 1995;**39**:631.

Other sexually transmitted diseases

Azithromycin for empirical treatment of the nongonococcal urethritis syndrome in men-a randomized double-blind study WE STAMM, CB HICKS, DH MARTIN, et al. JAMA 1995;274:545.

Incision and drainage versus aspiration of fluctuant buboes in the emergency department during an epidemic of chancroid AA ERNST, E MARVEZVALLS, DH MARTIN. Sex Transm Dis 1995;22:217.

Chancroid epidemiology in New Orleans

RP DICARLO, BS ARNENTOR, DH MARTIN. J Infect Dis 1995;172:446.

Comparison of azithromycin and ceftriaxone for the treatment of chancroid

DH MARTON, SJ SARGENT, GD WENDEL, WM MCCORMACK, NA SPIER, RB HOHNSON. *Clin Infect Dis* 1995;21:409.

A system for generalized mutagenesis of Haemophilus ducreyi

MK STEVENS, LD COPE, JD RADOLF, EJ HANSEN. Infect Immun 1995;63:2976.

Swine model of Haemophilus ducreyi infection

MM HOBBS, LR SANMATEO, PE ORNDORFF, G ALMOND, TH KAWULA. Infect Immun 1995;63: Localization and immunological properties of a 24-kDa surface protein of Haemophilus ducreyi

A FRISK, EL ROGGEN, T LAGERGARD. J Med Microbiol 1995;43:192.

Public health and social aspects

School sex education: an experimental programme with educational and medical

AR MELLANBY, FA PHELPS, NJ CRICHTON, JH TRIPP. BMJ 1995;311:414.

Impact on sexually transmitted disease spread of increased condom use by young females, 1987-1992

H STIGUM, P MAGNUS, M VEIEROD, LS BAKKETEIG. Int J Epidemiol 1995;24:813.

Control of sexually transmitted diseases in Haiti: results and implications of a baseline study among pregnant women living in Cite Soleil shantytowns

FMT BEHETS, J DESORMEAUX, D JOSEPH, et al. J Infect Dis 1995;172:764.

Microbiology and Immunology

Corynebacterium seminal sp nov, a new species associated with genital infections in male patients

P RIEGEL, R RUIMY, D DEBRIEL, et al. J Clin Microbiol 1995;33:2244.

Systemic and secretory humoral immunity in the normal human vaginal tract H HOCINI, A BARRA, L BEREC, et al. Scand J Immunol 1995;42:269.

Dermatology

Common dermatoses

VS NANDA. Am J Obstet Gynecol 1995;173:488.

Microbiology of secondary bacterial infection in scabies lesions

I BROOK. J Clin Microbiol 1995;33:2139.

Angiomyofibroblastoma of the vulva: a clinicopathologic study of seven cases M HISAOKA, H KOUHO, T AOKI, Y DAIMARU, H наsнімото. Pathol Int 1995;45:487.

Fibroadenoma of ectopic breast tissue in the vulva

LRL PRASAD, GS KUMARI, CA ARUNA, K DURGA, VR KAMESWARI. Acta Cytol 1995;39:791.

Paget's disease of the scrotum: report of a case with underlying carcinoma of the prostate

KBH KOH, AR NAZAINA. Br J Dermatol 1995; **133**:306.

Laser treatment of localized squamous cell carcinoma of the penis

WINDAHL, S HELLSTEN. J Urol 1995;154: 1020.

Necrotizing vasculitis of the penis in systemic lupus erythematosus

BM TRIPP, F CHU, F HALWANI, MM HASSOUNA. J Urol 1995;154:528.

Miscellaneous

Male urethritis with and without discharge: a clinical and microbiological study

M JANIER, F LASSAU, I CASIN, et al. Sex Transm Dis 1995;22:253.

Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking and douching CW CRITCHLOW, P WOLNERHANSEN, DA ESCHENBACH, NB KIVIAT, LA KOUTSKY, CE STEVENS, KK HOLMES. Am J Obstet Gynecol 1995;173:534.

Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation

JA MCGREGOR, JI FRENCH, R PARKER, et al. Am J Obstet Gynecol 1995;173:157.

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery

WW ANDREWS, JC HAUTH, RL GOLDERNBERG, R GOMEZ, R ROMERO, GH CASSELL. Am J Obstet Gynecol 1995;173:606.

Prevalence of genital infections in medical inpatients in Blantyre, Malawi D MAHER, I HOFMAN. J Infect 1995;31:77.

Impact of improved treatment of sexually transmitted diseases on HIV infection in rural Tanzania: randomized controlled trial

H GROSSKURTH, F MOSHA, J TODD, et al. Lancet 1995;346:530.

Perineoplasty compared with vestibuloplasty for severe vulvar vestibulitis

J BORNSTEIN, D ZARFATI, Z GOLDIK,

ABRAMOVICI. Br J Obstet Gynecol 1995;102:652.

Identification of male epithelial cells in routine postcoital cervicovaginal smears using fluorescence in situ hybridization: application in sexual assault and molestation

PN RAO, KA COLLINS, KR GEISINGER, et al. Am J Clin Pathol 1995;104:32.

Comparison of expression of virulence factors by Escherichia coli causing cystitis and E-coli colonizing the periurethra of healthy girls

TA SCHLAGER, TS WHITTAM, JO HENDLEY, RJ HOLLIS, MA PFALLER, RA WILSON, A STAPLETON. J Infect Dis 1995;172:772.

Magnetic resonance imaging in patients with penile carcinoma

E DEKERVILER, P OLLIER, F DESGRANDCHAMPS, et al. Br J Radiol 1995;68:704.

Epstein-Barr virus infection as co-factor in cervical carcinogenesis?

AJC VANDENBRULE, JMM WALBOOMERS, CJLM MEIJER. J Pathol 1995;176:219.

Absence of Epstein-Barr virus in penile carcinoma: a study of 42 cases using in situ hybridization

KY LAM, ACL CHAN, KW CHAN, ML LEUNG, G SRIVASTAVA. Cancer 1995;76:658.

Candida glabrata epididymo-orchitis: an unusual infection rapidly cured with surgical antifungal treatment P JENKS, J BROWN, D WARNOCK, N BARNES. $\mathcal J$

Infect 1995;31:71.

Brenner tumour of the vagina AMH RASHID, H FOX. J Clin Pathol 1995;48:678.

Unusual Peyronie's disease with a doublebarreled appearance

t narita, h kudo, k matsumoto. *J Urol* 1995;154:1134.

Genitourin Med 1995;71:422

VOLUME 71 · ASSESSORS

The editor is grateful to the following referees for Genitourinary Medicine September 1994–September 1995

Ackers J Adler M Fitzgerald M Forster G French P Alderete J Allason-Jones E Garcia R Anderson J Gill O Barlow D Gilson R Barnetson R Handsfield H Barton S Hart G Hawkins D Bentley C Berry G Hay R Bodsworth N Hayes R Hedge B Hicks D Bradbeer C Brock K Bunker C Higgins G Buve A Hillman R Catchpole M Holton J Chiodini P Ison C Jeffries D Coutinho R Cowan F Johnson M Cunningham A Judson F De Jong M Kaldor J Kemp R Donovan B Douglas J Kinghorn G Drusin L Kirby R Kitchen V Engelkens H Evans B Kroon S

Laga M Lampe M Law C Lewis M Mabey D McNulty A Mercey D Milroy E Moss A Mulder D Mulhall B Munday P Musher D Myint S Neilsen G Nicol A Oriel D Pattman R Peckham C Pinching A Pozniak A Rawlinson M Richens J Ridgway G Robinson A

Lacey C

Ross J Rowen D Scott G Shahmanesh M Simmonds A Smith N Sonnex C Sorrell T Souhami R Stanley M Tapsall J Taylor-Robinson D Tenant-Flowers M Thin N Thompson C Turner A Van Den Hoek A Waugh M Weber J Williams I Wilson A Young H Zur-Hausen H

Rose B

Ross M

VOLUME 71 · AUTHOR INDEX

Key: E = Editorial; F = Filler; L = Letter; C = Correction

Adler MW, 416 (C)
Adu-Surkodie Y, 199 (C)
Adue-Surkodie Y, 199 (C)
Agner T, 391
Ahmed-Jushuf IH, 254
Ako-Nai KA, 163
Albrecht H, 325 (C)
Alexander SY, 169
Al-Haraci S, 405
Ali NJ, 73
Alnor D, 257
Andrews H, 228
Angarano G, 123
Anselmi M, 343
Araujo E, 343
Arya OP, 254
Atia W, 270 (C)
Atia WA, 126
Azevedo J, 247
Azeze B, 347

Bäckman M, 234
Bailey J, 251
Ballard RC, 202 (C)
Bardazzi F, 45
Barongo LR, 212
Barton SE, 332 (C), 400
Bastani R, 82
Bastian I, 196 (C)
Bates CM, 414 (C)
Bayle P, 196 (C)
Bazex J, 196 (C)
Bébéar C, 382
Behets F, 275
Berdondini RM, 58 (C)
Bergström S, 323 (C)
Bergy J, 329 (C)
Bingham JS, 314
Blakely A, 393
Bletsoe E, 351
Boag FC, 54 (C), 106
Bodén E, 158
Bogaerts J, 207
Bond RA, 286, 291
Borchardt KA, 405
Borendal N, 88
Borgdorff MW, 212
Borrego MJ, 247
Bourgaux P, 18, 239, 327 (C)
Bourgaux-Ramoisy D, 18, 239, 327 (C)
Bowden FJ, 196 (C)
Bracka A, 228
Bradbeer CS, 358
Brink NS, 262
Brinkeborn R-M, 387
Brook MG, 126
Buccoliero G, 123
Bullen J, 196 (C)
Bunting P, 103
Burn S, 335 (C)

Calman FMB, 41
Calundungo R, 326 (C)
Capanoğlu R, 131 (C)
Cappuccinelli P, 326 (C)
Cardoso J, 247
Carey PB, 414 (C)
Carl L, 257
Carlin EM, 54 (C), 106, 400
Catry MA, 247
Caul EO, 329 (C)
Chakraverty MP, 355
Chamberlain V, 196 (C)
Chan YC, 402
Chang SN, 68
Chang SN, 68
Changalucha J, 9
Chen HY, 13
Cheung MM, 141
Chezzi C, 413 (C)
Chinn RJS, 35 (CPC)
Chironna M, 123
Chow VTK, 363
Chung K-Y, 68
Clark S, 126
Claydon EJ, 98
Clifford J, 329 (C)
Colebunders R, 129 (C)
Colombo MM, 326 (C)
Cook N, 228
Cooper G, 355
Cooper PJ, 343
Corbett EL, 200 (C), 308
Coutinho RA, 172
Craib KJP, 150

Cross GF, 169 Crossley I, 200 (C), 308 Crowley T, 329 (C)

Dabis F, 207
Dalrymple J, 393
Das BC, 231
Davidson EAF, 335 (C)
Dawn G, 57 (C), 134 (C), 197
(C), 328 (C)
de Barbeyrac B, 382
De Clerq A, 307
De Cock KM, 187 (CPC), 200
(C), 308
De Pouplana M, 132 (C)
Dereli D, 131 (C)
Deslandes S, 18, 239, 327 (C)
Desmond NM, 334 (C)
Dettori G, 413 (C)
De Vuyst H, 129 (C)
Di Di Stefano M, 123
Dighitoghi MD, 163
Dockerty G, 201 (C)
Dockerty WG, 407
Doll L, 216
Dutilh B, 382

Edidi B, 275
Edlund K, 158
Edwards S, 201 (C)
Eglin R, 176
El Sayed, 196 (C)
El-Dalil A, 251
El-Gadi SMA, 130 (C), 201 (C)
Enriquez ANA, 132 (C)
Errani A, 57 (C)
Ertem E, 131 (C)
Evander M, 158
Evans BA, 286, 291
Evans JK, 120

Fantahun M, 347
Fanti PA, 45
Farmer B, 196 (C)
Feinmann C, 53 (C)
Feldblum PJ, 78
Fennema JSA, 375
Finch EJL, 53 (C)
Fiote JR, 123
Fisk PG, 416 (C)
Flower AJE, 416 (C)
Forster GE, 120, 136 (C)
Fox JD, 35 (CPC), 262
Foxman B, 304
Fraser I, 43
Fraser PA, 176
French GL, 265 (C)
Frost EH, 18, 239, 327 (C)

Gabone RM, 9, 212
Gan KS, 176
Geiger AM, 304
Gellert GA, 216
Gendron D, 18
Gilchrist C, 24
Gilroy CB, 24
Gnaore E, 275
Gnarpe H, 370
Goeman J, 275
Goh BT, 94, 136 (C), 417 (C)
Gomes E, 326 (C)
González-Lahoz J, 53 (C), 132 (C)
Gopalkrishna V, 231
Gough KR, 265 (C), 331 (C)
Grant AD, 53 (C)
Griffin GE, 358
Griffiths MH, 280
Grosskurth H, 9
Guderian RH, 343
Guidetti MS, 45
Gupta S, 267 (C)
Gustavsson Å, 158
Gutiérrez M, 53 (C)

Haile T, 347 Hamad H, 197 (C) Handa S, 197 (C) Handsfield HH, 336 (C) Harrison MJG, 35 (CPC)
Harry TC, 417 (C)
Hart GJ, 351
Harvey JM, 133 (C)
Hawkes S, 224, 351
Hay RJ, 187 (CPC)
Haye KR, 197 (C)
Hedau S, 231
Hellberg D, 88
Hicks D, 202 (C)
Higgins KV, 216
Higgins KV, 216
Higgins SP, 197 (C)
Hillman RJ, 120
Hind CRK, 414 (C)
Ho LC, 402
Ho NgKY, 141
Ho TH, 402
Hobbs CJ, 334 (C)
Hooge RS, 150
Hooi AY, 13
Hoosen AA, 65, 155
Hopperus Burna APCC, 172
Horner PJ, 329, 335
Huengsberg M, 355

Ilchyshyn A, 129 (C) Ison CA, 13 Issack MI, 265 (C)

Jacobson K, 234
Jaisal NL, 58 (C)
Jayaweera DT, 414 (C)
Jephcott AE, 265 (C), 331 (C)
Johnson AM, 351
Johnson I, 266 (C)
Jonsson M, 158
Joseph AT, 331 (C)

Ka-Gina G, 9
Kam KM, 141
Kapur S, 267 (C)
Kariwiga G, 295
Karlsson R, 158
Kell PD, 126, 286, 291
Kelsey MC, 126
Kessel D, 73
Kidan KG, 347
Kivuvu M, 275
Klokke AH, 212
Koçyiğit F, 131 (C)
Kumar B, 32, 57 (C), 134 (C), 197 (C), 328 (C)
Kundu A, 43, 123 (C), 129, 195 (C)

Lacey CJN, 176
Ladner J, 207
Laga M, 275
La Grasta L, 123
Lan J, 299
Larsen J, 391
Lau PWY, 228
Lau QC, 363
Lau R, 358
Lee JB, 68
Lee M-G, 68
Lemos C, 326 (C), 413 (C)
Le Roux P, 382
Leroy V, 207
Lewis DA, 13, 136 (C)
Libombo A, 323 (C)
Livermore DM, 13
Lo KK, 141
Loh GK, 145
Louis MSt, 275
Loveday C, 324 (C)
Lowery R, 216
Lucas SB, 35 (CPC), 187 (CPC)

Mabey D, 9, 224
Macrae KD, 286, 291
Mai KK, 216
Maida N, 405
Maitland N, 41
Malla N, 328 (C)
Mancuso G, 57 (C)
Mårdh P-A, 88
Marguery MC, 196 (C)
Marini R, 311
Martin JL, 169
Marzaduri S, 311, 410

Masters L, 103
Matondo P, 136 (C), 266 (C)
Maxwell AE, 82
Maxwell RM, 216
Mayaud P, 9
McClean AN, 265 (C), 331 (C)
McClean HL, 396
McCormack SM, 286
McIver A, 393
McManus TJ, 41
McOwan A, 120
Meddings DR, 150
Meijer CJLM, 299
Miller RF, 35 (CPC), 53 (C), 73, 187 (CPC), 259, 262, 280, 308
Minichiello V, 270 (C)
Misra RS, 58 (C)
Mittal A, 267 (C)
Misra RS, 58 (C)
Mittal A, 267 (C)
Moodley J, 65, 155
Moonteiro E, 337 (C)
Moodley J, 65, 155
Moore D, 336 (C)
Mortimer PP, 109
Morton RS, 180
Moss TR, 417 (C)
Moyes A, 367, 412 (C)
Munday PE, 24
Muñoz F, 132 (C)
Myint SH, 228

Narváez A, 343 Negosanti M, 311 Nelson M, 336 (C) Neri I, 45, 311, 410 Newell A, 332 (C) Newell JN, 212 Ng GC, 402 Nicholas H, 103 Nilsson S, 88 Noone A, 71 Nteta C, 155 Nunns D, 197 (C) Nzila N, 275

Oakeley PS, 335 (C) O'Farrell N, 27, 265 (C), 358 Okonofua FE, 163 O'Shaughnessy MV, 150 Osman NB, 323 (C) Ossewaarde JM, 295, 299 Østerlind A, 244 Ottevanger V, 391

Paice EW, 126
Parry JV, 286
Passarini B, 410
Pastore G, 123
Patel HC, 94
Patel RN, 41
Patrizi A, 311, 410
Paul ID, 329 (C)
Peacock W, 393
Periole B, 196 (C)
Perrons CJ, 35 (CPC)
Petersen CS, 56 (C), 92, 257, 391
Petrak JA, 98
Piot P, 275
Plummer D, 270 (C)
Poh CL, 145, 363
Portincasa P, 413 (C)
Pozniak AL, 41, 358
Pugsley WB, 280

Qolohle DC, 65 Quarto M, 123

Radcliffe KW, 251
Radotra BD, 32
Rahm V-A, 370
Rajagopalan M, 32
Rashid S, 417 (C)
Ravnborg L, 391
Ray K, 58 (C)
Rea AJ, 417 (C)
Regiani M, 57 (C)
Regid M, 396
Renton A, 202 (C)
Reynolds M, 337 (C)
Richens J, 416 (C)

424 Author Index

Richmond RA, 251 Ringertz S, 234 Roberts REI, 47, 334 (C) Roddy RE, 78 Rodriguez P, 382 Rogers DJ, 47, 334 (C) Rogers L, 332 (C) Romanelli C, 123 Ross JDC, 198 (C), 333 (C), 367, 393 Rubino S, 326 (C), 413 (C) Russell JM, 54 (C), 106 Rylander E, 158

Sachdeva KG, 58 (C)
Samaniego JG, 132 (C)
Samo J, 326 (C)
Santo J, 247
Santos ND, 413 (C)
Saravanamuttu KM, 417 (C)
Schechter MT, 150
Schroyens W, 129 (C)
Scott GR, 198 (C)
Scott GR, 198 (C)
Scott SC, 176
Scoular A, 396
Selwood TS, 169
Senkoro KP, 212
Serter D, 131 (C)
Severn A, 259, 262
Shahmanesh M, 254, 355
Shannon J, 416 (C)
Sharma JK, 231

Sharma M, 328 (C)
Sharma R, 32
Sheppard S, 194 (C)
Shergold C, 351
Shrestha TL, 417 (C)
Sibley K, 106
Sikström B, 88
Singh G, 130 (C), 201 (C)
Singh M, 402
Sivapalan S, 136 (C), 266
Skinner CJ, 98
Smith AN, 65
Sobel JD, 304
Sobottka I, 325 (C)
Sonner O, 323 (C)
Sonner C, 270 (C), 407
Soriano V, 53 (C), 132 (C)
Sparks RA, 130 (C), 201 (C)
Srivastava AN, 231
Stellbrink H-J, 325 (C)
Stirland A, 126
Stolz E, 295
Strand A, 387
Strathdee SA, 150
Sturm AW, 155

Tang A, 71
Tapsall JW, 145
Tavmergen E, 131 (C)
Tavmergen EN, 131 (C)
Taylor-Robinson D, 1, 24, 202
(C)

Teasdale J, 176
Tendeloo CH, 172
Tewari VK, 58 (C)
Thejls H, 370
Theunissen JJH, 295
Thomas BJ, 24, 202 (C)
Thompson C, 412 (C)
Thomsen HK, 257
Thomsen U, 257
Thong TW, 402
Treharne JD, 94
Turner A, 265 (C), 331 (C)

Vallejo A, 53 (C)
van Ameijden EJC, 172
van de Laar MJW, 375
van den Brule AJC, 299
van den Hoek AR, 299
van den Hoek JAR, 375
van der Meijden WI, 295
Van de Perre P, 207
van Doornum GJJ, 375
Vandunen M, 413 (C)
van Duynhoven YTHP, 375
Van Marck E, 129 (C)
van Rijsoort-Vos JH, 295
Velema JP, 212
Veltink RL, 172
Verstraeten T, 129 (C)
Viswalingam ND, 94
Vithayathil K, 71

Wade AAH, 129, 133 (C), 195 (C), 251
Wadell G, 158
Waite JC, 262
Walboomers JMM, 299
Wallis C, 393
Walzman M, 43, 133 (C), 194 (C)
Weir SS, 78
Weismann K, 56 (C), 92
Welch J, 103
West B, 9, 224
White G, 414 (C)
Whitte H, 224
Willocks LJ, 71
Wilson J, 337 (C)
Wilson S, 224
Wisdom AR, 13
Worm A-M, 244
Wynne JM, 334 (C)

Yan KX, 82 Yap EH, 402 Yoganathan K, 41, 358 Young H, 133 (C), 367, 412 (C)

Zanetti S, 326 (C) Zannino T, 413 (C) Zekeng L, 78

VOLUME 71 · SUBJECT INDEX

Abscess, Sexually transmitted diseases including HIV infection in women with Bartholin's gland abscesses 155

Adolescence, Urethral flora in adolescent boys 328

Adolescents, AIDS risk behaviours and correlates in teenagers attending sexually transmitted diseases clinics in Los Angeles 82 Africa

AIDS in Africans living in London 358

HTLV-I and HTLV-II in Africans 53

Should screening of genital infections be part of antenatal care in areas of high HIV prevalence? A prospective cohort study from Kigali, Rwanda, 1992–1993 207

AIDS

AIDS in Africans living in London 358

Asthma in an AIDS patient with Norwegian scabies induced by bathing 200

Disseminated cutaneous Mycobacterium tuberculosis infection in a patient with AIDS 308

Herpes simplex virus type 2 encephalitis and concomitant cytomegalovirus infection in a patient with AIDS 262

HIV/AIDS knowledge and high risk sexual practices among southern California Vietnamese 216

Kaposi sarcoma in Germany 136

Non surgical treatment of empyema thoracis with intrapleural streptokinase in a patient with AIDS 259

Open lung biopsy for investigation of acute respiratory episodes in patients with HIV infection and AIDS 280

Polypoidal and giant molluscum contagiosum 417

Polypoidal and giant molluscum contagiosum in an AIDS patient

Progressive multifocal leukoencephalopathy in patients with AIDS 35

Use of barrier contraceptives in Denmark during the AIDS epidemic 56

Amphotericin, Anaphylaxis due to liposomal amphotericin (Ambisome) 414

Amplicor, Comparison of the Amplicor Chlamydia trachomatis test and cell culture for the detection of urogenital chlamydial infections 247

Anaphylaxis, Anaphylaxis due to liposomal amphotericin (Ambisome) 414

Ancient Egypt, Sexual attitudes, preferences and infections in Ancient Egypt 180

Angola, Prevalence of antibodies to HIV-1 and HIV-2 in women attending a sexually transmitted disease clinic in Luanda, Angola 413

Antibiotic resistance, Virgin population of Neisseria gonorrhoeae in Stockholm has decreased and antimicrobial resistance is increasing 234

Antibodies

Diagnostic efficacy of chlamydial antibodies in cervical secretions from pregnant women and adolescent girls 370

Prevalence of antibodies to HIV-1 and HIV-2 in women attending a sexually transmitted disease clinic in Luanda, Angola 413

Serum antibodies to *Trichomonas vaginalis* in invasive cervical cancer patients **402**

Antibody, Interpretation of *Chlamydia trachomatis* antibody response in chlamydial oculogenital infection **94**

Arsphenamine, Arsphenamine jaundice and the recognition of instrument-borne virus infection 109

Asthma, Asthma in an AIDS patient with Norwegian scabies induced by bathing 200

Asymptomatic carriage, Asymptomatic carriage of *Haemophilus* ducreyi confirmed by the polymerase chain reaction 224

Attendance, Why do patients default from follow-up at a genitourinary clinic? 393

Attitude, Sexual attitudes, preferences and infections in Ancient Egypt 180

Audit, The falling accuracy of microscopy in the diagnosis of gonor-

rhoea—a cause for concern? 136

Auxotype, Case cluster of possible tissue invasive gonorrhoea 126, 336

Auxotyping, Differentiation of *Neisseria gonorrhoeae* strains by polymerase chain reaction and restriction fragment length polymorphism of outer membrane protein IB genes 363

Azithromycin

Azithromycin and syphilis 196

Azithromycin levels in cervical mucus and plasma after a single 1.0g oral dose for chlamydial cervicitis 244

Bacterial, Treatment of bacterial vaginosis with a 3 day course of 2% clindamycin cream 254

Balanitis, Plasma cell balanitis 32

Balanitis xerotica obliterans, Detection of human papillomavirus types in balanitis xerotica obliterans and other penile conditions 228

Balano-posthitis, Candidal balano-posthitis 407

Barrier methods, Barrier methods of contraception 202

Bartholin's gland, Sexually transmitted diseases including HIV infection in women with Bartholin's gland abscesses 155

Book reviews

Atlas of differential diagnosis in HIV disease 337

Atlas of vulval disease 60

HIV infection in women 338

Scars of Venus. A history of venereology 60

Sexual health promotion in genitourinary medicine clinics 338 Syphilis in Shakespeare's England 60

British Journal of Venereal Disease, British Journal of Venereal Disease and Genitourinary Medicine in the first 70 years 270

Broncho-pneumonia, Bronchopulmonary infection with *Pseudomonas aeruginosa* in patients infected with human immunodeficiency virus 73

Candida, Candidal balano-posthitis 407

Candidiasis, Chronic vulvovaginal candidiasis 304

Carcinoma

Carcinoma of the penis 336

Carcinoma of the penis in an HIV positive patient 41

Detection of human papillomavirus DNA sequences in cancer of the urinary bladder by in situ hybridisation and polymerase chain reaction 231

Cervical cancer, Serum antibodies to *Trichomonas vaginalis* in invasive cervical cancer patients 402

Cervicitis, Azithromycin levels in cervical mucus and plasma after a single 1.0g oral dose of chlamydial cervicitis 244

Cervix

Comparison of women with cervical human papillomavirus infection and genital warts. I. Some behavioural factors and clinical findings 88

Diagnostic efficacy of chlamydial antibodies in cervical secretions from pregnant women and adolescent girls 370

Chancroid, Single dose trimethoprim-sulphamethoxazole for treatment of chancroid 134

Children, Child sexual abuse—the interface with genitourinary medicine 47, 334

Chlamydia

Azithromycin and syphilis 196

Infrequent detection of *Chlamydia trachomatis* in a longitudinal study of women with treated cervical infection 24

Chlamydia antibodies, Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

Chlamydia trachomatis

Azithromycin levels in cervical mucus and plasma after a single 1·0g oral dose for chlamydial cervicitis 244

Chlamydia in women 416

Chlamydia trachomatis in gynaecological infections in Luanda, Angola 326

Comparison of the Amplicor Chlamydia trachomatis test and cell culture for the detection of urogenital chlamydial infections 247

Detection of *Chlamydia trachomatis* by ligase chain reaction compared with polymerase chain reaction and cell culture in urogenital specimens 382

Development and evaluation of screening strategies for *Chlamydia* trachomatis infections in an STD clinic 375

Diagnostic efficacy of chlamydial antibodies in cervical secretions from pregnant women and adolescent girls 370

Epidemiology and transmission patterns of concomitant genital chlamydial and gonococcal infections 266

Genotyping of *Chlamydia trachomatis* serovars derived from heterosexual partners and a detailed genomic analysis of serovar F

Infertility due to Chlamydia trachomatis infection 267

Interpretation of *Chlamydia trachomatis* antibody response in chlamydial oculogenital infection **94**

Prevalence of Chlamydia trachomatis in women attending a family planning clinic in Papua New Guinea 295

Quantitation of Chlamydia trachomatis by culture, direct immunofluorescence and competitive polymerase chain reaction 239

Screening for asymptomatic *Chlamydia trachomatis* infection in male students by examination of first catch urine 329

Sensitivity of a commercial polymerase chain reaction for different serovars of *Chlamydia trachomatis* present at low titre in clinical samples 327

Use of the polymerase chain reaction for the detection of *Chlamydia* trachomatis in clinical specimens and its comparison to commercially available tests 169

Variation outside variable segments of the major outer membrane protein distinguishes trachoma from urogenital isolates of the same serovar of *Chlamydia trachomatis* 18

Chronic hepatitis, More severe course of delta hepatitis in HIV-infected patients [L] 132

Ciprofloxacin, Importation into the UK of a strain of Neisseria gonorrhoeae resistant to penicillin, ciprofloxacin and tetracycline 265, 331

Ciprofloxacin resistance, Ciprofloxacin resistant Neisseria gonorrhoeae 412

Circumcision, Plasma cell balanitis 32

Clindamycin, Treatment of bacterial vaginosis with a 3 day course of 2% clindamycin cream 254

Clones, Resolution of clonal subgroups among Neisseria gonorrhoeae IB-2 and IB-6 serovars by pulsed-field gel electrophoresis 145

Cohort, HIV-1 incidence and HIV-1 associated mortality in a cohort of urban factory workers in Tanzania 212

Colposcopy, Value of colposcopy in genitourinary medicine 270, 417

Condoms

Heterosexual relationships and condom-use in the spread of sexually transmitted diseases to women 291

Nonoxynol-9 use, genital ulcers, and HIV infection in a cohort of sex workers 78

Condom use

AIDS risk behaviours and correlates in teenagers attending sexually transmitted diseases clinics in Los Angeles 82

Sexual behaviour and sexually transmitted diseases in Dutch marines and naval personnel on a United Nations Mission in Cambodia 172

Condylomata acuminata, Dipyridamole, as an interferon inducer, versus placebo in the prevention of recurrences of condylomata acuminata after diathermocoagulation 57

Contacts, Genotyping of Chlamydia trachomatis serovars derived from heterosexual partners and a detailed genomic analysis of serovar F 299

Contraception

Assessment of contraceptive choice in HIV seropositive women 54 Barrier methods of contraception 202

Contraceptives, Use of barrier contraceptives in Denmark during the AIDS epidemic 56

Crohn's diseases, Penile Crohn's disease 45

C trachomatis, Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

Culture, Ignored trichomonal infestation diagnosed by Papanicolaou smear 257, 417

Cutaneous, Disseminated cutaneous Mycobacterium tuberculosis infection in a patient with AIDS 308

Default, Why do patients default from follow-up at a genitourinary clinic? 393

Delta hepatitis, More severe course of delta hepatitis in HIV-infected patients [L] 132

Denmark, Use of barrier contraceptives in Denmark during the AIDS epidemic 56

Detection

Detection of *Chlamydia trachomatis* by ligase chain reaction compared with polymerase chain reaction and cell culture in urogenital specimens 382

P24 antigen detection, viral isolation, DNA-PCR and in vitro antibody production for the diagnosis of HIV-1 latent infection in heterosexual women at high risk for HIV-1 infection 123

Diagnosis

Chronic vulvovaginal candidiasis 304

Diagnosis of gonorrhoea by microscopy 200

Dipyridamole, Dipyridamole, as an interferon inducer, versus placebo in the prevention of recurrences of condylomata acuminata after diathermocoagulation 57

Disseminated infection, Disseminated infection due to penicillin resistant gonococci—is it still rare? 133

DNA, Detection of human papillomavirus DNA sequences in cancer of the urinary bladder by in situ hybridisation and polymerase chain reaction 231

Donovanosis, Global eradication of donovanosis 27

Drug users, Use of an inpatient HIV unit by injecting drug users 53 **Dynamics,** Antiretroviral monotherapies and serum HIV-1 dynamics 324

Ecuador, Yaws in Ecuador 343

Electrolytes, Pre-treatment with hydration and electrolytes may prevent dose limiting toxicities during foscarnet induction therapy 414

Electrophoresis, Resolution of clonal subgroups among Neisseria gonorrhoeae IB-2 and IB-6 serovars by pulsed-field gel electrophoresis 145

Empyema, Non surgical treatment of empyema thoracis with intrapleural streptokinase in a patient with AIDS 259

Encephalitis, Herpes simplex virus type 2 encephalitis and concomitant cytomegalovirus infection in a patient with AIDS 262

Enterocytozoon bieneusi, Failure of itraconazole to prevent Enterocytozoon bieneusi infection 325

Epidemiology

HIV seropositivity in an STD centre in a cosmopolitan city in northern India 58

HTLV-I and HTLV-II in Africans 53

One-year survey of *Neisseria gonorrhoeae* isolated from patients attending an east London genitourinary medicine clinic 13

Ethiopia, Seroprevalence of syphilis amongst pregnant women attending antenatal clinics in a rural hospital in north west Ethiopia 347

Family planning

Evaluating a designated family planning clinic within a genitourinary medicine clinic 106

Family planning in genitourinary medicine 103, 334

Prevalence of *Chlamydia trachomatis* in women attending a family planning clinic in Papua New Guinea 295

Feelings, Genital warts 194

Female, Trends in female sexual behaviour and sexually transmitted diseases in London, 1982–1992 286

Female prostitution, Kaposi sarcoma in Germany 136

Foscarnet, Pre-treatment with hydration and electrolytes may prevent dose limiting toxicities during foscarnet induction therapy 414

Genital infections, Should screening of genital infections be part of antenatal care in areas of high HIV prevalence? A prospective cohort study from Kigali, Rwanda, 1992–1993 207

Genital tract infection, Lower genital tract infections in infertile Nigerian women compared with controls 163

Genital ulcer

Syndromic management of genital ulcer disease 416

Syndromic management of genital ulcer disease—a critical appraisal 197

Syndromic management of genital ulcer disease—a response 416 Genital ulcers, Nonoxynol-9 use, genital ulcers, and HIV infection in a cohort of sex workers 78

Genital warts

Comparison of women with cervical human papillomavirus infection and genital warts. I. Some behavioural factors and clinical findings 88

Genital warts 194

Single-blind study of podophyllotoxin cream 0.5% and podophyllotoxin solution 0.5% in male patients with genital warts 391

Topical treatment of genital warts in men, an open study of podophyllotoxin cream compared with solution 387

Unusual cause of incontinence 197

Genitourinary, How much sexually transmitted disease is not seen by genitourinary physicians? 333

Genitourinary medicine

"Healthy Alliances?"—other sexual health services and their views of genitourinary medicine 396

Family planning in genitourinary medicine 103, 334

Prevalence of sexual assault in a genitourinary medicine clinic 98 Value of colposcopy in genito-urinary medicine 417

Why do patients default from follow-up at a genitourinary clinic? 393

Genitourinary medicine clinics

Evaluating a designated family planning clinic within a genitourinary medicine clinic 106

Factors affecting reattendance rates at genitourinary medicine clinics 198

Gonococcus, Disseminated infection due to penicillin resistant gonococci—is it still rare? 133

Gonorrhoea

Antimicrobial susceptibility, auxotype and plasmid content of Neisseria gonorrhoeae in Northern Tanzania 9

Case cluster of possible tissue invasive gonorrhoea 126, 336 Diagnosis of gonorrhoea by microscopy 200

Falling accuracy of microscopy in the diagnosis of gonorrhoea—a cause for concern? 136

One-year survey of *Neisseria gonorrhoeae* isolated from patients attending an east London genitourinary medicine clinic 13

Rectal gonorrhoea as an independent risk factor for HIV infection in a cohort of homosexual men 150

Rectal gonorrhoea as an independent risk factor for HIV infection in homosexual males 335

Serovar specific immunity to Neisseria gonorrhoeae 367

Granuloma, Pyogenic granuloma of the penis—a rare entity? 43 Guidelines, Patients' awareness of changes in the Association of British Insurers' guidelines on HIV testing 332

Gynaecology, Chlamydia trachomatis in gynaecological infections in Luanda, Angola 326

Haemophilus ducreyi, Asymptomatic carriage of Haemophilus ducreyi confirmed by the polymerase chain reaction 224

Hepatitis, Arsphenamine jaundice and the recognition of instrument-borne virus infection 109

Hepatitis B, Survey on hepatitis B vaccination policies in genitourinary medicine in UK and Ireland 251

Herpes simplex

Acute urinary retention preceding skin manifestations of genital herpes by 8 days 270

Screening for herpes simplex virus in infertile women 131

Urticarial manifestations associated with herpes simplex virus type 2 196

Herpes simplex virus type 2, Herpes simplex virus type 2 encephalitis and concomitant cytomegalovirus infection in a patient with AIDS 262

History

Arsphenamine jaundice and the recognition of instrument-borne virus infection 109

Publisher, a bobbin-boy and the Society 314

History MSSVD, Publisher, a bobbin-boy and the Society 314 **HIV**

AIDS risk behaviours and correlates in teenagers attending sexually transmitted diseases clinics in Los Angeles 82

Antiretroviral monotherapies and serum HIV-1 dynamics 324
Assessment of contraceptive choice in HIV seropositive women 54
Bronchopulmonary infection with *Pseudomonas aeruginosa* in

patients infected with human immunodeficiency virus 73 Carcinoma of the penis in an HIV positive patient 41

Global eradication of donovanosis 27

HIV/AIDS knowledge and high risk sexual practices among southern California Vietnamese 216

HIV infection and maternal outcome of pregnancy in Mozambican women 323

HIV seropositivity in an STD centre in a cosmopolitan city in northern India 58

Incidence of symptomatic urinary tract infections in HIV seropositive patients and the use of co-trimoxazole as prophylaxis against *Pneumocystis carinii* pneumonia 120

Kaposi sarcoma in Germany 136

More severe course of delta hepatitis in HIV-infected patients [L] 132

Non-Hodgkin's lymphoma in a patient with HIV-2 infection 129 Nonoxynol-9 use, genital ulcers, and HIV infection in a cohort of sex workers 78

Open lung biopsy for investigation of acute respiratory episodes in patients with HIV infection and AIDS 280

Patients' awareness of changes in the Association of British Insurers' guidelines on HIV testing 332

Pneumococcal vaccine and HIV infection 71, 336

Prevalence of antibodies to HIV-1 and HIV-2 in women attending a sexually transmitted disease clinic in Luanda, Angola 413

Prurigo nodularis in an HIV positive man 129

Pseudomonas aeruginosa infections and HIV 336

Rectal gonorrhoea as an independent risk factor for HIV infection in a cohort of homosexual men 150, 335

Response to influenza immunisation in asymptomatic HIV infected men 355

Serological screening for sexually transmitted infections in pregnancy 65

Similar serological response to conventional therapy for syphilis among HIV-positive and HIV-negative women 275

Use of an inpatient HIV unit by injecting drug users 53

HIV-1

HIV-1 incidence and HIV-1 associated mortality in a cohort of urban factory workers in Tanzania 212

P24 antigen detection, viral isolation, DNA-PCR and in vitro antibody production for the diagnosis of HIV-1 latent infection in heterosexual women at high risk for HIV-1 infection 123

HIV-1 infection, Should screening of genital infections be part of antenatal care in areas of high HIV prevalence? A prospective cohort study from Kigali, Rwanda, 1992–1993 207

Homosexual men, Rectal gonorrhoea as an independent risk factor for HIV infection in a cohort of homosexual men 150

HPV

Comparison of women with cervical human papillomavirus infection and genital warts. I. Some behavioural factors and clinical findings 88

Detection of human papillomavirus DNA sequences in cancer of the urinary bladder by in situ hybridisation and polymerase chain reaction 231

Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

HSV-2, Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

HTLV-I, HTLV-I and HTLV-II in Africans 53

HTLV-II, HTLV-I and HTLV-II in Africans 53

Hydration, Pre-treatment with hydration and electrolytes may prevent dose limiting toxicities during foscarnet induction therapy 414

Immunisation, Response to influenza immunisation in asymptomatic HIV infected men 355

Immunity, Serovar specific immunity to Neisseria gonorrhoeae 367 Immunofluorescence, Quantitation of Chlamydia trachomatis by culture, direct immunofluorescence and competitive polymerase chain reaction 239

Incidence, HIV-1 incidence and HIV-1 associated mortality in a cohort of urban factory workers in Tanzania 212

Incontinence, Unusual cause of incontinence 197

Infection, Rectal gonorrhoea as an independent risk factor for HIV infection in homosexual males 335

Infections, Sexual attitudes, preferences and infections in Ancient Egypt **180**

Infertility

Infertility due to Chlamydia trachomatis infection 267

Lower genital tract infections in infertile Nigerian women compared with controls 163

Screening for herpes simplex virus in infertile women 131

Influenza, Response to influenza immunisation in asymptomatic HIV infected men 355

Insurers, Patients' awareness of changes in the Association of British Insurers' guidelines on HIV testing 332

Itraconazole, Failure of itraconazole to prevent Enterocytozoon bieneusi infection 325

Kaempherol, Quercetin and kaempherol 92 Kaposi's sarcoma, Kaposi sarcoma in Germany 136

Laparascopy, Infertility due to Chlamydia trachomatis infection 267
Latent infection, P24 antigen detection, viral isolation, DNA-PCR
and in vitro antibody production for the diagnosis of HIV-1
latent infection in heterosexual women at high risk for HIV-1

infection 123

Leukoencephalopathy, Progressive multifocal leukoencephalopathy in patients with AIDS 35

Ligase chain reaction, Detection of *Chlamydia trachomatis* by ligase chain reaction compared with polymerase chain reaction and cell culture in urogenital specimens 382

London, Continuing high prevalence of penicillinase-producing Neisseria gonorrhoeae at a central London hospital 265

Lung biopsy, Open lung biopsy for investigation of acute respiratory episodes in patients with HIV infection and AIDS 280

Lymphoma, It could be more serious than you think! 201

Major outer membrane protein, Variation outside variable segments of the major outer membrane protein distinguishes trachoma from urogenital isolates of the same serovar of *Chlamydia trachomatis* 18

Malawi, STD/HIV control in Malawi 202

Male, Prevalence of *Trichomonas vaginalis* in a male sexually transmitted disease clinic population by interview, wet mount microscopy, and the InPouch™ TV test 405

Management

Syndromic management of genital ulcer disease 416

Syndromic management of genital ulcer disease—a response 416

Maternal outcome, HIV infection and maternal outcome of pregnancy in Mozambican women 323

Men, Topical treatment of genital warts in men, an open study of podophyllotoxin cream compared with solution 387

Military personnel, Sexual behaviour and sexually transmitted diseases in Dutch marines and naval personnel on a United Nations Mission in Cambodia 172

Molluscum contagiosum

Polypoidal and giant molluscum contagiosum 417

Polypoidal and giant molluscum contagiosum in an AIDS patient 57

Monotherapy, Antiretroviral monotherapies and serum HIV-1 dynamics 324

Mortality, HIV-1 incidence and HIV-1 associated mortality in a cohort of urban factory workers in Tanzania 212

Mozambique, HIV infection and maternal outcome of pregnancy in Mozambican women 323

MSSVD, Publisher, a bobbin-boy and the Society 314

 ${\it Mycoplasma genitalium}$, History and role of ${\it Mycoplasma genitalium}$ in sexually transmitted diseases 1

Neisseria gonorrhoeae

Ciprofloxacin resistant Neisseria gonorrhoeae 412

Differentiation of Neisseria gonorrhoeae strains by polymerase chain reaction and restriction fragment length polymorphism of outer membrane protein IB genes 363

Epidemiology and transmission patterns of concomitant genital chlamydial and gonococcal infections 266

Importation into the UK of a strain of Neisseria gonorrhoeae resistant to penicillin, ciprofloxacin and tetracycline 265, 331

Rapid decline in penicillinase-producing Neisseria gonorrhoeae in Hong Kong associated with emerging 4-fluoroquinolone resistance 141

Resolution of clonal subgroups among Neisseria gonorrhoeae IB-2 and IB-6 serovars by pulsed-field gel electrophoresis 145

Virgin population of *Neisseria gonorrhoeae* in Stockholm has decreased and antimicrobial resistance is increasing 234

Neoplasm, Kaposi sarcoma in Germany 136

Neutrophil elastase, Neutrophil enzymes in urine for the detection of urethral infection in men 176

Newborns, Seroreversion of the serological tests for syphilis in the newborns born to treated syphilitic mothers **68**

Non gonococcal, How common is self-treatment in non gonococcal urethritis? 400

Non-Hodgkin's lymphoma, Non-Hodgkin's lymphoma in a patient with HIV-2 infection 129

Nonoxynol-9, Nonoxynol-9 use, genital ulcers, and HIV infection in a cohort of sex workers 78

Non-regular relationships, Heterosexual relationships and condom-use in the spread of sexually transmitted diseases to women 291

Obituary, Thorstein Guthe, MD 193

Oculogenital, Interpretation of *Chlamydia trachomatis* antibody response in chlamydial oculogenital infection 94

Oral cavity, Warts in the oral cavity 195

Orphans, AIDS in Africans living in London 358

Outer membrane protein IB genes, Differentiation of Neisseria gonorrhoeae strains by polymerase chain reaction and restriction fragment length polymorphism of outer membrane protein IB genes 363

Pancreatitis, Pancreatitis associated with aerosolised pentamidine

Papanicolaou, Ignored trichomonal infestation diagnosed by Papanicolaou smear 257, 417

Papillomavirus, Detection of human papillomavirus types in balanitis xerotica obliterans and other penile conditions 228

Papua New Guinea, Prevalence of *Chlamydia trachomatis* in women attending a family planning clinic in Papua New Guinea 295

Patients, Genital warts 194

PCR

Asymptomatic carriage of *Haemophilus ducreyi* confirmed by the polymerase chain reaction 224

Comparison of the Amplicor Chlamydia trachomatis test and cell culture for the detection of urogenital chlamydial infections 247

Detection of *Chlamydia trachomatis* by ligase chain reaction compared with polymerase chain reaction and cell culture in urogenital specimens 382

Differentiation of Neisseria gonorrhoeae strains by polymerase chain reaction and restriction fragment length polymorphism of outer membrane protein IB genes 363

Genotyping of Chlamydia trachomatis serovars derived from heterosexual partners and a detailed genomic analysis of serovar F 299

Herpes simplex virus type 2 encephalitis and concomitant cytomegalovirus infection in a patient with AIDS 262

Quantitation of *Chlamydia trachomatis* by culture, direct immuno-fluorescence and competitive polymerase chain reaction 239

Sensitivity of a commercial polymerase chain reaction for different serovars of *Chlamydia trachomatis* present at low titre in clinical samples 327

Penicillin, Importation into the UK of a strain of *Neisseria gonor*rhoeae resistant to penicillin, ciprofloxacin and tetracycline 265, 331

Penicillin resistance, Rapid decline in penicillinase-producing Neisseria gonorrhoeae in Hong Kong associated with emerging 4fluoroquinolone resistance 141

Penis

Carcinoma of the penis 336

Carcinoma of the penis in an HIV positive patient 41

Penile Crohn's disease 45

Pyogenic granuloma of the penis—a rare entity? 43

Pentamidine, Pancreatitis associated with aerosolised pentamidine 130

Perihepatitis, Perihepatitis in women with salpingitis—an underdiagnosed clinical entity? 331

Physicians, How much sexually transmitted disease is not seen by genitourinary physicians? 333

Plasma cell, Plasma cell balanitis 32

Plasma cells, Vulvitis plasmacellularis 311

Plasmid, Virgin population of *Neisseria gonorrhoeae* in Stockholm has decreased and antimicrobial resistance is increasing 234

Plasmids, Spontaneous loss of PPNG resistance plasmids 133

Pneumococcal vaccine

Pneumococcal vaccine and HIV infection 71, 336

Podophyllin, Quercetin and kaempherol 92

Podophyllotoxin, Single-blind study of podophyllotoxin cream 0.5% and podophyllotoxin solution 0.5% in male patients with genital warts 391

Podophyllotoxin cream, Topical treatment of genital warts in men, an open study of podophyllotoxin cream compared with solution 387

Polymerase chain reaction, Use of the polymerase chain reaction for the detection of *Chlamydia trachomatis* in clinical specimens and its comparison to commercially available tests 169

Population-based study, Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

Porokeratosis, Genital porokeratosis of mibelli 410

Pouch of Douglas, Infertility due to Chlamydia trachomatis infection 267

PPNG

Continuing high prevalence of penicillinase-producing Neisseria gonorrhoeae at a central London hospital 265

Spontaneous loss of PPNG resistance plasmids 133

Pregnancy

HIV infection and maternal outcome of pregnancy in Mozambican women 323

Serological screening for sexually transmitted infections in pregnancy 65

Seroprevalence of syphilis amongst pregnant women attending antenatal clinics in a rural hospital in north west Ethiopia 347

Pregnant women, Should screening of genital infections be part of antenatal care in areas of high HIV prevalence? A prospective cohort study from Kigali, Rwanda, 1992–1993 207

Prevalence

Continuing high prevalence of penicillinase-producing *Neisseria* gonorrhoeae at a central London hospital 265

Prevalence of antibodies to HIV-1 and HIV-2 in women attending a sexually transmitted disease clinic in Luanda, Angola 413

Prevalence of *Trichomonas vaginalis* in a male sexually transmitted disease clinic population by interview, wet mount microscopy, and the InPouchTM TV test **405**

Primary health care, Yaws in Ecuador 343

Prurigo nodularis, Prurigo nodularis in an HIV positive man 129 Pseudomonas aeruginosa

Bronchopulmonary infection with Pseudomonas aeruginosa in patients infected with human immunodeficiency virus 73

Pseudomonas aeruginosa infections and HIV 336

Quercetin, Quercetin and kaempherol 92

Reattendance, Factors affecting reattendance rates at genitourinary medicine clinics 198

Recurrence

Chronic vulvovaginal candidiasis 304

Infrequent detection of *Chlamydia trachomatis* in a longitudinal study of women with treated cervical infection 24

Resistance

Antimicrobial susceptibility, auxotype and plasmid content of Neisseria gonorrhoeae in Northern Tanzania 9

Importation into the UK of a strain of *Neisseria gonorrhoeae* resistant to penicillin, ciprofloxacin and tetracycline 265, 331

One-year survey of *Neisseria gonorrhoeae* isolated from patients attending an east London genitourinary medicine clinic 13

Resistant, Ciprofloxacin resistant Neisseria gonorrhoeae 412

Retrovirus, Antiretroviral monotherapies and serum HIV-1 dynamics 324

RFLP, Differentiation of *Neisseria gonorrhoeae* strains by polymerase chain reaction and restriction fragment length polymorphism of outer membrane protein IB genes 363

Risk, Risk behaviour and STD acquisition in genitourinary clinic attenders who have travelled 351

Salpingitis, Perihepatitis in women with salpingitis—an underdiagnosed clinical entity? 331

Scabies, Asthma in an AIDS patient with Norwegian scabies induced by bathing 200

Screening

Screening for asymptomatic Chlamydia trachomatis infection in male students by examination of first catch urine 329

Serological screening for sexually transmitted infections in pregnancy 65

Screening strategy, Development and evaluation of screening strategies for *Chlamydia trachomatis* infections in an STD clinic 375

Self treatment, How common is self-treatment in non gonococcal urethritis? 400

Seroconversion, Rectal gonorrhoea as an independent risk factor for HIV infection in a cohort of homosexual men 150

Serology, Similar serological response to conventional therapy for syphilis among HIV-positive and HIV-negative women 275

Seroprevalence, Seroprevalence of syphilis amongst pregnant women attending antenatal clinics in a rural hospital in north west Ethiopia 347

Seroreversion, Seroreversion of the serological tests for syphilis in the newborns born to treated syphilitic mothers **68**

Serotyping

Differentiation of Neisseria gonorrhoeae strains by polymerase chain reaction and restriction fragment length polymorphism of outer membrane protein IB genes 363

Serovar specific immunity to Neisseria gonorrhoeae 367

Serovar, Case cluster of possible tissue invasive gonorrhoea 126, 336

Sex, Sexual attitudes, preferences and infections in Ancient Egypt 180

Sex behaviour, AIDS risk behaviours and correlates in teenagers attending sexually transmitted diseases clinics in Los Angeles 82

Sexual abuse, Child sexual abuse—the interface with genitourinary medicine 47, 334

Sexual assault, Prevalence of sexual assault in a genitourinary medicine clinic 98

Sexual behaviour, Trends in female sexual behaviour and sexually transmitted diseases in London, 1982–1992 286

Sexual health services, "Healthy Alliances?"—other sexual health services and their views of genitourinary medicine 396

Sexual orientation, Serovar specific immunity to Neisseria gonorrhoeae 367

Sexually transmitted disease

Survey on hepatitis B vaccination policies in genitourinary medicine in UK and Ireland 251

Why do patients default from follow-up at a genitourinary clinic? 393

Sexually transmitted diseases, Rectal gonorrhoea as an independent risk factor for HIV infection in a cohort of homosexual men 150

STD

AIDS in Africans living in London 358

How much sexually transmitted disease is not seen by genitourinary physicians? 333

Publisher, a bobbin-boy and the Society 314

Sexually transmitted diseases including HIV infection in women with Bartholin's gland abscesses 155

Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

STD/HIV control in Malawi 202

Trends in female sexual behaviour and sexually transmitted diseases in London, 1982–1992 286

STD acquisition, Risk behaviour and STD acquisition in genitourinary clinic attenders who have travelled 351

STD clinics, AIDS risk behaviours and correlates in teenagers attending sexually transmitted diseases clinics in Los Angeles 82

STD incidence, Sexual behaviour and sexually transmitted diseases in Dutch marines and naval personnel on a United Nations Mission in Cambodia 172

STDs

Heterosexual relationships and condom-use in the spread of sexually transmitted diseases to women 291

HIV seropositivity in an STD centre in a cosmopolitan city in northern India 58

Should screening of genital infections be part of antenatal care in areas of high HIV prevalence? A prospective cohort study from Kigali, Rwanda, 1992–1993 207

Streptokinase, Non surgical treatment of empyema thoracis with intrapleural streptokinase in a patient with AIDS 259

Symptoms, Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

Syphilis

Azithromycin and syphilis 196

Serological screening for sexually transmitted infections in pregnancy 65

Seroprevalence of syphilis amongst pregnant women attending antenatal clinics in a rural hospital in north west Ethiopia 347

Seroreversion of the serological tests for syphilis in the newborns born to treated syphilitic mothers 68

Similar serological response to conventional therapy for syphilis among HIV-positive and HIV-negative women 275

Tanzania, HIV-1 incidence and HIV-1 associated mortality in a cohort of urban factory workers in Tanzania 212

Tetracycline

Antimicrobial susceptibility, auxotype and plasmid content of Neisseria gonorrhoeae in Northern Tanzania 9

Importation into the UK of a strain of Neisseria gonorrhoeae resistant to penicillin, ciprofloxacin and tetracycline 265, 331

Toxicity, Pre-treatment with hydration and electrolytes may prevent dose limiting toxicities during foscarnet induction therapy 414

Trachoma, Variation outside variable segments of the major outer membrane protein distinguishes trachoma from urogenital isolates of the same serovar of *Chlamydia trachomatis* 18

Transmission, Trichomonas vaginalis transmission in a family 199

Travel, Risk behaviour and STD acquisition in genitourinary clinic attenders who have travelled 351

Treatment, Syndromic management of genital ulcer disease—a critical appraisal 197

Trichomonal vaginitis, Ignored trichomonal infestation diagnosed by Papanicolaou smear 417

Trichomonas vaginalis

Ignored trichomonal infestation diagnosed by Papanicolaou smear 257

Prevalence of *Trichomonas vaginalis* in a male sexually transmitted disease clinic population by interview, wet mount microscopy, and the InPouch™ TV test 405

Serum antibodies to $Trichomonas\ vaginalis$ in invasive cervical cancer patients 402

Trichomonas vaginalis transmission in a family 199

Trimethoprim-sulphamethoxazole, Single dose trimethoprim-sulphamethoxazole for treatment of chancroid 134

Tuberculosis

AIDS in Africans living in London 358

Disseminated cutaneous Mycobacterium tuberculosis infection in a patient with AIDS 308

Urethral flora, Urethral flora in adolescent boys 328 Urethritis

How common is self-treatment in non gonococcal urethritis? 400 Neutrophil enzymes in urine for the detection of urethral infection in men 176

Urinary bladder, Detection of human papillomavirus DNA sequences in cancer of the urinary bladder by in situ hybridisation and polymerase chain reaction 231

Urinary retention, Acute urinary retention preceding skin manifestations of genital herpes by 8 days 270

Urinary tract infection, Incidence of symptomatic urinary tract infections in HIV seropositive patients and the use of co-trimoxazole as prophylaxis against *Pneumocystis carinii* pneumonia 120

Urticaria, Urticarial manifestations associated with herpes simplex virus type 2 196

USA, AIDS risk behaviours and correlates in teenagers attending sexually transmitted diseases clinics in Los Angeles 82

Vaccination, Survey of hepatitis B vaccination policies in genitourinary medicine in UK and Ireland 251

Vaginosis, Treatment of bacterial vaginosis with a 3 day course of 2% clindamycin cream 254

Vietnamese, HIV/AIDS knowledge and high risk sexual practices among southern California Vietnamese 216

Vulvitis, Vulvitis plasmacellularis 311

Vulvovaginal, Chronic vulvovaginal candidiasis 304

Warts, Warts in the oral cavity 195

Wet smear, Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

Women

Assessment of contraceptive choice in HIV seropositive women 54 Chlamydia in women 416

Silent suffering women—a population based study on the association between reported symptoms and past and present infections of the lower genital tract 158

Yaws, Yaws in Ecuador 343

Zaire, Similar serological response to conventional therapy for syphilis among HIV-positive and HIV-negative women 275

GENITOURINARY MEDICINE

VOLUME 71 1995

Editor: A Mindel (Sydney)

President MSSVD: J S Bingham (London) Hon Sec MSSVD: T McManus (London) Assistant Editor: C A Carne (Cambridge)

Assistant Editor: Abstracts: C Sonnex (Cambridge)

M W Adler (London)
R Ashley (Seattle)
D A Cooper (Sydney)
L Corey (Seattle)
Y Cossart (Sydney)
B Donovan (Sydney)
J Douglas (Denver)
L M Drusin (New York)

J S Greenspan (San Francisco)
G Gross (Hamburg)
G R Kinghorn (Sheffield)
K Holmes (Seattle)
M Laga (Antwerp)
A S Latif (Harare)
D Mabey (London)
A Meheus (Antwerp)

D Mercey (London)
A R Moss (San Francisco)
J Perriens (Geneva)
R S Pattman
(Newcastle-upon-Tyne)
A J Pinching (London)
A Pozniak (London)
G Ridgway (London)

J A R van den Hoek (Amsterdam)
J Weber (London)
L Westrom (Lund)

Editor British Medical Journal

Technical Editor: Kenneth Till
(Taunton, UK) Fax (UK) 09847-315

Telephone (UK) 09847-388

